

WULKAN 300

The wheel washer **WULKAN 300** is a modern device designed for car service stations as well as tire repair shops and modern gas stations.



Technical Data

Wheel diameter	560 - 800 mm
Wheel width	135 - 305 mm
Maximum wheel weight	60 kg
Washing time (3 programmes)	20, 40, 60 s (regulowane, 3 programy)*
Drying time	15 s (regulowany, 1 program)**
Pump drive - electric motor 400, V 5.5 kW	2900 obr / min
Pump efficiency	600 l / min
Wheel drive 230/400 V, 50 Hz, 3-phase, 0.37 kW	930 obr / min
Motors and drive power	6 kW
Water pressure	4 bar
Water capacity	300 l
Working medium batch	20 kg
Cleaning concentrate WULKAN TURBO	3 l
Pneumatic supply	8 - 12 bar
noise level	78,4 dB
Dimensions	900/1210/1450
Weight	310 kg
Maximum limiting number of washing process	500 włączeń

starts (service lock)

*/** czasy regulowane wyłącznie na etapie produkcji

Among the operational advantages of the device, we include:

- Wheel washing in a closed water circuit (without permanent connection to water inlet and outlet)
- Easy operation (four control buttons for operating the washer)
- Wheel washing with minimal physical effort

Standard equipment:

- WULKAN MIX granulate 25 kg
- Granulate basket
- WULKAN TURBO cleaning concentrate 30 l
- Upper protective cover made of plastic

