

MULTI

The Multi electric wheel wrench is used for loosening and tightening bolts and nuts on the wheels of heavy-duty trucks, buses, construction vehicles, agricultural machinery, and military vehicles.

The wrench is designed for use in both open terrain and workshops. Loosening and tightening can be performed on vehicles lifted entirely or partially, as well as those resting on their wheels.

The construction of the Multi wrench is selected by the manufacturer to ensure an optimal combination of work efficiency and device reliability with operator safety.



Dane techniczne

Working temperature

Weight

Output drive size

Dimensions

Motor rotating speed

Electric supply

Motor power

Stroke strength

-10 do 35°C

64 kg

1"

1040/520/1500

1400 obr./min.

3x400V / 50 Hz

1,5 kW

400 - 2500 Nm





UNI-TROL Sp. z o.o. ul. Estrady 56 01-932 Warszawa

tel. (22) 817 94 21 22, 817 94 34 35, 834 90 13 14 SPRZEDAŻ wew. 118 i 121, SERWIS wew. 131 i 134 www.unitrol.pl | office@unitrol.pl | serwis@unitrol.pl





UNI-TROL Sp. z o.o. ul. Estrady 56 01-932 Warszawa

tel. (22) 817 94 21 22, 817 94 34 35, 834 90 13 14 SPRZEDAŻ wew. 118 i 121, SERWIS wew. 131 i 134 www.unitrol.pl | office@unitrol.pl | serwis@unitrol.pl