

## WULKAN 360HP

The wheel washer **WULKAN 360HP** is designed for passenger cars, vans, off-road vehicles, and SUVs with a width of up to 360 mm, compatible with all types of rims and tires, equipped with a water heating system and a pneumatic wheel stabilizing assembly.



### Technical Data

Wheel diameter	560 - 800 mm
Wheel width	135 - 360 mm
Maximum wheel weight	60 kg
Washing time (3 programmes)	20, 40, 60 s (regulowane, 3 programy)
Drying time	15 s (regulowany, 1 program)
Water heating time up to 50°C	60 - 120 min
Heater power	4 kW
Pump drive - electric motor 400, V 5.5 kW	2900 obr / min
Pump efficiency	600 l / min
Wheel drive 230/400 V, 50 Hz, 3-phase, 0.37 kW	930 obr / min
Motors and drive power	6 kW
Water pressure	4 bar
Water capacity	300 l
Working medium batch	20 kg
Cleaning concentrate WULKAN TURBO	3 l
Pneumatic supply	8 - 12 bar
noise level	79,5 dB
Dimensions	960/1210/1450



Weight 330 kg  
Maximum limiting number of washing process starts (service lock) 500 włączeń

## General Information:

- Computerized control
- Software available in 6 languages
- Easy-to-use display
- Actuator with an arm to hold narrower wheels upright
- Separator settling tank separated from the washing chamber
- Triple acoustic insulation system (rubber lining, perforated PVC screen, foam)
- Rubber anti-vibration feet
- Attractive graphic design
- Also available in a mobile version on wheels

## Heating Parameters:

- Heating power - 4 kW
- Heating time for water up to 50°C: 60 - 120 min
- Overheat protection lock

## Standard Equipment:

---

- WULKAN MIX granulate 25 kg
- Granulate basket
- WULKAN TURBO cleaning concentrate 30 l
- Upper protective cover made of plastic
- Rubber anti-slip mats 2 pcs.
- Blow gun

## Additional Accessories:

---

- Pneumatic wheel lift



