UNIT U202B

Full-automatic tyre changer equipped with stabile tilting post for intensive use. The turning table is able to work at 2 different speeds, ideal for mounting wide and rigid wheels.

Technical Data

Outside clamping capacity	10" - 22"
Inside clamping capacity	12" - 24"
Max. wheel width	15"
Max. wheel diameter	1200 mm
Bead-breaker pressure force	1500 kg
Pneumatic supply	8 - 10 bar
Table rotation speed	7 obr./min.(14 obr./min. wer. 2-biegowa)
Electric supply	3 x 400V / 50 Hz
Motor power	0,75 kW / 1,1 kW
Weight	350 kg
Wheel clamp	Pneumatyczny
Dimensions	1580/2250/1642

UNI-TROL Sp. z o.o.
ul. Estrady 56
01-932 Warszawa

tel. (22) 817 94 21 22, 817 94 34 35, 834 90 13 14
SPRZEDAŻ wew. 118 i 121, SERWIS wew. 131 i 134
www.unitrol.pl | office@unitrol.pl | serwis@unitrol.pl

Available Colors

Basic Colors

UNI-TROL Sp. z o.o.
ul. Estrady 56
01-932 Warszawa

tel. (22) 817 94 21 22, 817 94 34 35, 834 90 13 14
SPRZEDAŻ wew. 118 i 121, SERWIS wew. 131 i 134
www.unitrol.pl | office@unitrol.pl | serwis@unitrol.pl

UNI-TROL Sp. z o.o.
ul. Estrady 56
01-932 Warszawa

tel. (22) 817 94 21 22, 817 94 34 35, 834 90 13 14
SPRZEDAŻ wew. 118 i 121, SERWIS wew. 131 i 134
www.unitrol.pl | office@unitrol.pl | serwis@unitrol.pl